


# Phoenix-Mesa-Scottsdale, AZ



## Deaths reported to DAWN

Drug misuse	396
Suicide	67

## Metro area population, 2004

3,715,360

## Population covered by DAWN

3,501,001

## Percent of population covered by DAWN

94%


## Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
Total participating (1)	396	113.1	67	19.1	3,501,001
1. Maricopa County, AZ	396	113.1	67	19.1	3,501,001
2. Pinal County, AZ					214,359

Shaded areas did not participate in DAWN this year.

<sup>1</sup>Deaths per 1,000,000 population.


## Deaths by case type, 2004




## Place of death, 2004

Drug misuse		Deaths
Health care facility		110
Home		198
Public place		27
Other		54
Not documented		7
Suicide		Deaths
Health care facility		21
Home		35
Public place		--
Other		9
Not documented		--

## Top 5 drugs involved: Drug misuse deaths, 2004




## Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

### Death rates by gender and age: Drug misuse, 2004



### Death rates by gender and age: Suicide, 2004



### Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	388	Any drug-related cause	66
Abuse	126	Abuse	--
Drug or alcohol	388	Drug or alcohol	65
Toxic effects	351	Toxic effects	66
Body systems (includes infections)	24	Body systems (includes infections)	--
Accidents and injuries	11	Accidents and injuries	34

### Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
<b>ALL DRUGS</b>	<b>389</b>	<b>396</b>	<b>99</b>	<b>102</b>	<b>67</b>	<b>19</b>
Alcohol <sup>2</sup>	110	100	6	31	10	0
Cocaine	130	130	16	14	--	0
Marijuana	0	7	0	0	0	0
Stimulants	104	86	22	18	4	0
Club drugs <sup>3</sup>	0	0	0	--	0	0
Hallucinogens <sup>4</sup>	--	--	0	0	0	0
Inhalants	--	--	--	0	0	0
Antidepressants	25	39	--	10	25	4
Antipsychotics	5	5	--	--	--	0
Benzodiazepines	54	53	--	20	15	0
Misc. anxiolytics, sedatives, and hypnotics	22	17	--	11	14	4
Opiates/opioids	227	265	42	35	32	8
Heroin (specified)	13	65	7	0	--	--
Methadone	52	64	10	--	5	--
All other opiates/opioids	181	164	25	32	26	6
Nonsteroidal anti-inflammatory agents	0	0	0	0	0	0
Salicylates/combinations	--	0	0	4	--	0
Misc. analgesics/combinations	6	16	--	14	10	--
Anticonvulsants	4	--	0	4	--	0
Muscle relaxants	10	12	--	--	--	0

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

# Pittsburgh, PA



## Deaths reported to DAWN

Drug misuse 211  
Suicide 27

## Metro area population, 2004

2,401,575

## Population covered by DAWN

1,250,867

## Percent of population covered by DAWN

52%


## Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (1)</b>	<b>211</b>	<b>168.7</b>	<b>27</b>	<b>21.6</b>	<b>1,250,867</b>
1. Allegheny County, PA	211	168.7	27	21.6	1,250,867
2. Armstrong County, PA					71,395
3. Beaver County, PA					178,601
4. Butler County, PA					180,663
5. Fayette County, PA					145,651
6. Washington County, PA					205,738
7. Westmoreland County, PA					368,660

Shaded areas did not participate in DAWN this year.

<sup>1</sup>Deaths per 1,000,000 population.


## Deaths by case type, 2004




## Place of death, 2004

Drug misuse	Deaths
Health care facility	67
Home	119
Public place	5
Other	20
Not documented	0
Suicide	Deaths
Health care facility	7
Home	19
Public place	0
Other	--
Not documented	0

## Top 5 drugs involved: Drug misuse deaths, 2004




## Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

### Death rates by gender and age: Drug misuse, 2004



### Death rates by gender and age: Suicide, 2004



### Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	203	Any drug-related cause	25
Abuse	--	Abuse	0
Drug or alcohol	203	Drug or alcohol	25
Toxic effects	201	Toxic effects	25
Body systems (includes infections)	19	Body systems (includes infections)	--
Accidents and injuries	0	Accidents and injuries	--

### Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
<b>ALL DRUGS</b>		<b>211</b>	<b>91</b>		<b>27</b>	<b>11</b>
Alcohol <sup>2</sup>		32	--		7	0
Cocaine		92	26		--	0
Marijuana		0	0		0	0
Stimulants		--	0		0	0
Club drugs <sup>3</sup>		0	0		0	0
Hallucinogens <sup>4</sup>		--	0		0	0
Inhalants		--	0		--	--
Antidepressants		24	--		9	--
Antipsychotics		6	--		--	--
Benzodiazepines		37	0		4	0
Misc. anxiolytics, sedatives, and hypnotics		9	--		--	--
Opiates/opioids		164	60		9	0
Heroin (specified)		79	42		0	0
Methadone		30	4		--	0
All other opiates/opioids		69	14		7	0
Nonsteroidal anti-inflammatory agents		0	0		0	0
Salicylates/combinations		0	0		--	--
Misc. analgesics/combinations		5	--		9	--
Anticonvulsants		--	0		--	0
Muscle relaxants		--	0		0	0

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

## Portland-South Portland, ME



### Deaths reported to DAWN

Drug misuse	50
Suicide	7

### Metro area population, 2004

510,791

### Population covered by DAWN

510,791

### Percent of population covered by DAWN


100%

### Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
Total participating (3)	50	97.9	7	13.7	510,791
1. Cumberland County, ME	31	113.3	4	14.6	273,505
2. Sagadahoc County, ME	2	54.2	1	27.1	36,927
3. York County, ME	17	84.8	2	10.0	200,359

<sup>1</sup>Deaths per 1,000,000 population.

### Deaths by case type, 2004




### Place of death, 2004

Drug misuse	Deaths
Health care facility	13
Home	22
Public place	--
Other	13
Not documented	0

Suicide	Deaths
Health care facility	0
Home	4
Public place	--
Other	--
Not documented	0


### Top 5 drugs involved: Drug misuse deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

### Death rates by gender and age: Drug misuse, 2004



### Death rates by gender and age: Suicide, 2004



### Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	45	Any drug-related cause	5
Abuse	0	Abuse	0
Drug or alcohol	45	Drug or alcohol	5
Toxic effects	45	Toxic effects	5
Body systems (includes infections)	10	Body systems (includes infections)	--
Accidents and injuries	--	Accidents and injuries	--

### Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
<b>ALL DRUGS</b>	<b>49</b>	<b>50</b>	<b>22</b>	<b>9</b>	<b>7</b>	<b>4</b>
Alcohol <sup>2</sup>	13	13	0	4	--	0
Cocaine	4	14	--	0	--	0
Marijuana	0	0	0	0	0	0
Stimulants	--	0	0	0	0	0
Club drugs <sup>3</sup>	0	--	0	0	0	0
Hallucinogens <sup>4</sup>	0	0	0	0	0	0
Inhalants	0	0	0	0	0	0
Antidepressants	11	10	0	--	--	0
Antipsychotics	--	--	0	--	--	--
Benzodiazepines	7	11	0	4	--	0
Misc. anxiolytics, sedatives, and hypnotics	0	--	0	--	--	--
Opiates/opioids	45	42	18	5	--	--
Heroin (specified)	--	--	--	0	0	0
Methadone	23	31	14	--	0	0
All other opiates/opioids	28	11	--	4	--	--
Nonsteroidal anti-inflammatory agents	0	0	0	--	0	0
Salicylates/combinations	0	0	0	--	0	0
Misc. analgesics/combinations	4	--	0	--	0	0
Anticonvulsants	--	--	--	--	--	0
Muscle relaxants	0	0	0	--	0	0

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

# Portland-Vancouver-Beaverton, OR-WA



## Deaths reported to DAWN

Drug misuse 154  
Suicide 30

## Metro area population, 2004

2,064,336

## Population covered by DAWN

1,523,690

## Percent of population covered by DAWN

74%

## Metro area overview: Deaths and population by county, 2004


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (3)</b>	<b>154</b>	<b>101.1</b>	<b>30</b>	<b>19.7</b>	<b>1,523,690</b>
1. Clackamas County, OR	17	46.8	7	19.3	363,276
2. Columbia County, OR					46,971
3. Multnomah County, OR*	121	180.0	18	26.8	672,161
4. Washington County, OR	16	32.8	5	10.2	488,253
5. Yamhill County, OR					90,723
6. Clark County, WA					392,403
7. Skamania County, WA					10,549

Shaded areas did not participate in DAWN this year.

\* Indicates area featured in Spotlight section.

<sup>1</sup>Deaths per 1,000,000 population.


## Deaths by case type, 2004




## Place of death, 2004

Drug misuse		Deaths
Health care facility		16
Home		101
Public place		11
Other		25
Not documented		--
Suicide		Deaths
Health care facility		6
Home		17
Public place		4
Other		--
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2004




## Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

### Death rates by gender and age: Drug misuse, 2004



### Death rates by gender and age: Suicide, 2004



### Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	154	Any drug-related cause	30
Abuse	17	Abuse	0
Drug or alcohol	153	Drug or alcohol	30
Toxic effects	121	Toxic effects	30
Body systems (includes infections)	4	Body systems (includes infections)	--
Accidents and injuries	0	Accidents and injuries	--

### Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
<b>ALL DRUGS</b>	<b>146</b>	<b>154</b>	<b>20</b>	<b>27</b>	<b>30</b>	<b>6</b>
Alcohol <sup>2</sup>	49	57	0	14	10	0
Cocaine	50	57	4	0	0	0
Marijuana	13	15	0	--	--	0
Stimulants	21	24	--	--	4	0
Club drugs <sup>3</sup>	0	--	0	0	0	0
Hallucinogens <sup>4</sup>	0	0	0	0	0	0
Inhalants	--	--	--	0	0	0
Antidepressants	40	38	0	14	16	--
Antipsychotics	6	--	0	4	8	0
Benzodiazepines	31	32	0	6	4	0
Misc. anxiolytics, sedatives, and hypnotics	12	15	0	5	--	0
Opiates/opioids	120	128	11	9	10	--
Heroin (specified)	39	65	6	0	0	0
Methadone	31	36	5	--	4	--
All other opiates/opioids	82	53	0	7	6	0
Nonsteroidal anti-inflammatory agents	0	0	0	0	0	0
Salicylates/combinations	--	--	0	0	--	0
Misc. analgesics/combinations	--	5	--	--	--	--
Anticonvulsants	4	--	0	0	--	0
Muscle relaxants	4	4	0	--	--	--


<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.



## Provo-Orem, UT



### Deaths reported to DAWN

Drug misuse	53
Suicide	2

### Metro area population, 2004

412,361

### Population covered by DAWN

412,361

### Percent of population covered by DAWN


100%

### Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
Total participating (2)	53	128.5	2	4.9	412,361
1. Juab County, UT	1	111.0	0	0.0	9,009
2. Utah County, UT	52	128.9	2	5.0	403,352

<sup>1</sup>Deaths per 1,000,000 population.


### Deaths by case type, 2004



### Place of death, 2004

Drug misuse	Deaths
Health care facility	19
Home	31
Public place	--
Other	--
Not documented	0
Suicide	Deaths
Health care facility	0
Home	--
Public place	0
Other	0
Not documented	0


### Top 5 drugs involved: Drug misuse deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

### Death rates by gender and age: Drug misuse, 2004



### Death rates by gender and age: Suicide, 2004



### Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	52	Any drug-related cause	--
Abuse	--	Abuse	0
Drug or alcohol	52	Drug or alcohol	--
Toxic effects	52	Toxic effects	--
Body systems (includes infections)	4	Body systems (includes infections)	0
Accidents and injuries	--	Accidents and injuries	0

### Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	52	53	--	--	--	0
Alcohol <sup>2</sup>	7	12	--	--	--	--
Cocaine	12	18	--	--	--	--
Marijuana	--	8	--	--	--	--
Stimulants	7	7	--	--	--	--
Club drugs <sup>3</sup>	0	0	--	--	--	--
Hallucinogens <sup>4</sup>	0	0	--	--	--	--
Inhalants	0	0	--	--	--	--
Antidepressants	15	21	--	--	--	--
Antipsychotics	4	--	--	--	--	--
Benzodiazepines	20	16	--	--	--	--
Misc. anxiolytics, sedatives, and hypnotics	14	10	--	--	--	--
Opiates/opioids	50	49	--	--	--	--
Heroin (specified)	8	10	--	--	--	--
Methadone	12	16	--	--	--	--
All other opiates/opioids	38	31	--	--	--	--
Nonsteroidal anti-inflammatory agents	--	0	--	--	--	--
Salicylates/combinations	0	0	--	--	--	--
Misc. analgesics/combinations	--	--	--	--	--	--
Anticonvulsants	0	4	--	--	--	--
Muscle relaxants	11	5	--	--	--	--

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

# Salt Lake City, UT



## Deaths reported to DAWN

Drug misuse	172
Suicide	31

## Metro area population, 2004

1,018,826

## Population covered by DAWN

1,018,826

## Percent of population covered by DAWN

100%


## Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (3)</b>	<b>172</b>	<b>168.8</b>	<b>31</b>	<b>30.4</b>	<b>1,018,826</b>
1. Salt Lake County, UT*	160	171.1	28	29.9	935,295
2. Summit County, UT	3	88.6	1	29.5	33,843
3. Tooele County, UT	9	181.1	2	40.3	49,688

\* Indicates area featured in Spotlight section.

<sup>1</sup> Deaths per 1,000,000 population.

## Deaths by case type, 2004




## Place of death, 2004

Drug misuse	Deaths
Health care facility	44
Home	113
Public place	7
Other	8
Not documented	0


  

Suicide	Deaths
Health care facility	10
Home	16
Public place	--
Other	4
Not documented	0

## Top 5 drugs involved: Drug misuse deaths, 2004




## Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

### Death rates by gender and age: Drug misuse, 2004



### Death rates by gender and age: Suicide, 2004



### Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	170	Any drug-related cause	31
Abuse	15	Abuse	0
Drug or alcohol	170	Drug or alcohol	31
Toxic effects	167	Toxic effects	30
Body systems (includes infections)	17	Body systems (includes infections)	--
Accidents and injuries	--	Accidents and injuries	--

### Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
<b>ALL DRUGS</b>	<b>184</b>	<b>172</b>	<b>11</b>	<b>33</b>	<b>31</b>	<b>6</b>
Alcohol <sup>2</sup>	33	47	0	10	4	0
Cocaine	65	57	4	4	--	--
Marijuana	8	15	0	0	--	0
Stimulants	38	41	0	4	--	0
Club drugs <sup>3</sup>	--	--	0	0	0	0
Hallucinogens <sup>4</sup>	0	0	0	0	0	0
Inhalants	--	--	0	--	0	0
Antidepressants	65	65	0	12	20	--
Antipsychotics	8	5	0	5	7	0
Benzodiazepines	38	49	0	9	6	0
Misc. anxiolytics, sedatives, and hypnotics	44	47	0	13	14	--
Opiates/opioids	148	147	5	13	15	--
Heroin (specified)	22	17	--	0	0	0
Methadone	50	52	--	--	5	--
All other opiates/opioids	99	100	--	13	13	0
Nonsteroidal anti-inflammatory agents	--	--	0	0	--	0
Salicylates/combinations	0	0	0	0	0	0
Misc. analgesics/combinations	18	21	--	10	7	0
Anticonvulsants	12	11	0	0	--	--
Muscle relaxants	26	13	0	4	--	0

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.


<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

# San Diego-Carlsbad-San Marcos, CA



## Deaths reported to DAWN

Drug misuse 283  
Suicide 62

## Metro area population, 2004

2,931,714

## Population covered by DAWN

2,931,714

## Percent of population covered by DAWN


100%

## Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
Total participating (1)	283	96.5	62	21.1	2,931,714
1. San Diego County, CA	283	96.5	62	21.1	2,931,714

<sup>1</sup>Deaths per 1,000,000 population.


## Deaths by case type, 2004




## Place of death, 2004

Drug misuse		Deaths
Health care facility		54
Home		156
Public place		23
Other		50
Not documented		0
Suicide		Deaths
Health care facility		12
Home		41
Public place		--
Other		7
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2004




## Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

### Death rates by gender and age: Drug misuse, 2004



### Death rates by gender and age: Suicide, 2004



### Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	239	Any drug-related cause	61
Abuse	67	Abuse	0
Drug or alcohol	239	Drug or alcohol	61
Toxic effects	226	Toxic effects	60
Body systems (includes infections)	83	Body systems (includes infections)	7
Accidents and injuries	5	Accidents and injuries	--

### Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
<b>ALL DRUGS</b>	<b>352</b>	<b>283</b>	<b>100</b>	<b>86</b>	<b>62</b>	<b>15</b>
Alcohol <sup>2</sup>	94	68	0	21	23	0
Cocaine	52	51	12	4	--	0
Marijuana	--	6	0	0	0	0
Stimulants	108	89	54	11	4	0
Club drugs <sup>3</sup>	--	--	0	--	0	0
Hallucinogens <sup>4</sup>	0	0	0	0	0	0
Inhalants	--	0	0	0	0	0
Antidepressants	75	67	--	32	28	--
Antipsychotics	28	16	--	13	11	--
Benzodiazepines	92	69	0	29	17	--
Misc. anxiolytics, sedatives, and hypnotics	32	30	--	16	14	0
Opiates/opioids	194	166	21	27	22	--
Heroin (specified)	62	48	9	0	--	0
Methadone	23	26	--	0	--	0
All other opiates/opioids	124	100	9	27	20	--
Nonsteroidal anti-inflammatory agents	7	--	0	--	--	0
Salicylates/combinations	--	0	0	0	--	--
Misc. analgesics/combinations	24	21	4	11	6	--
Anticonvulsants	8	6	0	6	--	0
Muscle relaxants	12	23	--	--	6	0

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

# Seattle-Tacoma-Bellevue, WA



## Deaths reported to DAWN

Drug misuse	337
Suicide	52

## Metro area population, 2004

3,166,828

## Population covered by DAWN

2,421,417

## Percent of population covered by DAWN

76%

## Metro area overview: Deaths and population by county, 2004


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
Total participating (2)	337	139.2	52	21.5	2,421,417
1. King County, WA*	259	145.7	42	23.6	1,777,143
2. Pierce County, WA					745,411
3. Snohomish County, WA*	78	121.1	10	15.5	644,274

Shaded areas did not participate in DAWN this year.

\* Indicates area featured in Spotlight section.

<sup>1</sup> Deaths per 1,000,000 population.


## Deaths by case type, 2004




## Place of death, 2004

Drug misuse	Deaths
Health care facility	76
Home	183
Public place	35
Other	43
Not documented	0
Suicide	Deaths
Health care facility	8
Home	34
Public place	4
Other	6
Not documented	0

## Top 5 drugs involved: Drug misuse deaths, 2004




## Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

### Death rates by gender and age: Drug misuse, 2004



### Death rates by gender and age: Suicide, 2004



### Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	305	Any drug-related cause	52
Abuse	10	Abuse	0
Drug or alcohol	304	Drug or alcohol	52
Toxic effects	291	Toxic effects	49
Body systems (includes infections)	63	Body systems (includes infections)	8
Accidents and injuries	19	Accidents and injuries	4

### Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
<b>ALL DRUGS</b>	<b>219</b>	<b>337</b>	<b>83</b>	<b>43</b>	<b>52</b>	<b>15</b>
Alcohol <sup>2</sup>	48	89	--	13	15	0
Cocaine	65	116	25	--	4	--
Marijuana	0	5	0	0	--	0
Stimulants	26	31	11	--	--	0
Club drugs <sup>3</sup>	4	--	0	0	0	0
Hallucinogens <sup>4</sup>	0	--	--	0	0	0
Inhalants	--	--	--	0	--	--
Antidepressants	86	101	--	27	27	--
Antipsychotics	10	8	0	--	--	0
Benzodiazepines	52	59	0	9	9	0
Misc. anxiolytics, sedatives, and hypnotics	38	43	0	11	16	--
Opiates/opioids	165	239	28	17	18	--
Heroin (specified)	19	43	13	--	--	0
Methadone	67	100	7	--	--	0
All other opiates/opioids	99	130	8	16	16	--
Nonsteroidal anti-inflammatory agents	5	--	0	0	--	0
Salicylates/combinations	--	--	--	4	4	--
Misc. analgesics/combinations	8	22	4	7	9	--
Anticonvulsants	22	22	0	--	6	0
Muscle relaxants	14	19	0	5	--	0

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.


<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).



# St. Louis, MO-IL



## Deaths reported to DAWN

Drug misuse 209  
Suicide 47

## Metro area population, 2004

2,787,701

## Population covered by DAWN

2,345,212

## Percent of population covered by DAWN

84%

## Metro area overview: Deaths and population by county, 2004


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (9)</b>	<b>209</b>	<b>89.1</b>	<b>47</b>	<b>20.0</b>	<b>2,345,212</b>
1. Bond County, IL					17,980
2. Calhoun County, IL					5,190
3. Clinton County, IL	2	55.5	0	0.0	36,065
4. Jersey County, IL	0	0.0	0	0.0	22,320
5. Macoupin County, IL					49,067
6. Madison County, IL					264,350
7. Monroe County, IL					30,491
8. St. Clair County, IL	12	46.3	0	0.0	259,132
9. Crawford County, MO					23,647
10. Franklin County, MO	5	50.9	1	10.2	98,234
11. Jefferson County, MO	14	66.5	4	19.0	210,397
12. Lincoln County, MO	0	0.0	0	0.0	45,816
13. St. Charles County, MO	19	59.2	11	34.3	320,734
14. St. Louis City, MO*	73	212.7	8	23.3	343,279
15. St. Louis County, MO*	84	83.2	23	22.8	1,009,235
16. Warren County, MO					27,809
17. Washington County, MO					23,955

Shaded areas did not participate in DAWN this year.

\* Indicates area featured in Spotlight section.

<sup>1</sup>Deaths per 1,000,000 population.


## Deaths by case type, 2004




## Place of death, 2004

Drug misuse		Deaths
Health care facility		97
Home		75
Public place		10
Other		27
Not documented		0
Suicide		Deaths
Health care facility		19
Home		22
Public place		4
Other		--
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2004




## Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

### Death rates by gender and age: Drug misuse, 2004



### Death rates by gender and age: Suicide, 2004



### Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	196	Any drug-related cause	41
Abuse	--	Abuse	0
Drug or alcohol	196	Drug or alcohol	41
Toxic effects	168	Toxic effects	41
Body systems (includes infections)	38	Body systems (includes infections)	0
Accidents and injuries	15	Accidents and injuries	6

### Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
<b>ALL DRUGS</b>		209	86		47	12
Alcohol <sup>2</sup>		79	6		21	--
Cocaine		77	33		7	0
Marijuana		5	0		0	0
Stimulants		8	6		0	0
Club drugs <sup>3</sup>		0	0		0	0
Hallucinogens <sup>4</sup>		0	0		0	0
Inhalants		--	--		0	0
Antidepressants		16	--		16	4
Antipsychotics		0	0		4	0
Benzodiazepines		19	0		9	--
Misc. anxiolytics, sedatives, and hypnotics		--	0		4	0
Opiates/opioids		130	37		17	--
Heroin (specified)		55	17		0	0
Methadone		15	5		--	--
All other opiates/opioids		66	15		16	--
Nonsteroidal anti-inflammatory agents		0	0		0	0
Salicylates/combinations		--	--		--	0
Misc. analgesics/combinations		11	0		8	--
Anticonvulsants		0	0		--	--
Muscle relaxants		--	0		--	0

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.


<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

# Washington-Arlington-Alexandria, DC-VA-MD-WV



## Deaths reported to DAWN

Drug misuse 265  
Suicide 40

## Metro area population, 2004

5,139,549

## Population covered by DAWN

5,091,886

## Percent of population covered by DAWN

99%

## Metro area overview: Deaths and population by county, 2004


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (19)</b>	<b>265</b>	<b>52.0</b>	<b>40</b>	<b>7.9</b>	<b>5,091,886</b>
1. District of Columbia*	96	173.4	9	16.3	553,523
2. Calvert County, MD	5	57.8	1	11.6	86,474
3. Charles County, MD	9	66.3	3	22.1	135,807
4. Frederick County, MD	15	68.9	0	0.0	217,653
5. Montgomery County, MD	34	36.9	4	4.3	921,690
6. Prince George's County, MD	49	58.1	1	1.2	842,967
7. Alexandria city, VA	4	31.2	0	0.0	128,206
8. Arlington County, VA	4	21.5	5	26.9	186,117
9. Clarke County, VA	0	0.0	0	0.0	13,852
10. Fairfax County, VA	14	13.7	8	7.8	1,025,219
11. Falls Church city, VA	1	92.8	0	0.0	10,781
12. Fauquier County, VA	5	79.0	0	0.0	63,255
13. Fredericksburg city, VA	3	146.6	0	0.0	20,458
14. Loudoun County, VA	5	20.9	3	12.5	239,156
15. Manassas city, VA	3	79.8	0	0.0	37,615
16. Prince William County, VA	10	28.7	2	5.7	348,105
17. Spotsylvania County, VA	2	17.9	3	26.8	111,850
18. Stafford County, VA	1	8.7	1	8.7	114,781
19. Warren County, VA	5	145.4	0	0.0	34,377
20. Jefferson County, WV					47,663

Shaded areas did not participate in DAWN this year.

\* Indicates area featured in Spotlight section.

<sup>1</sup>Deaths per 1,000,000 population.


## Deaths by case type, 2004




## Place of death, 2004

Drug misuse		Deaths
Health care facility		101
Home		99
Public place		11
Other		44
Not documented		10
Suicide		Deaths
Health care facility		10
Home		24
Public place		--
Other		5
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2004




## Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

### Death rates by gender and age: Drug misuse, 2004



### Death rates by gender and age: Suicide, 2004



### Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	257	Any drug-related cause	39
Abuse	5	Abuse	0
Drug or alcohol	257	Drug or alcohol	39
Toxic effects	245	Toxic effects	34
Body systems (includes infections)	53	Body systems (includes infections)	--
Accidents and injuries	7	Accidents and injuries	4

### Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
<b>ALL DRUGS</b>		<b>265</b>	<b>104</b>		<b>40</b>	<b>17</b>
Alcohol <sup>2</sup>		74	5		6	0
Cocaine		125	48		4	--
Marijuana		--	0		0	0
Stimulants		--	0		0	0
Club drugs <sup>3</sup>		--	--		0	0
Hallucinogens <sup>4</sup>		5	--		--	--
Inhalants		--	--		--	0
Antidepressants		35	0		17	--
Antipsychotics		9	0		--	--
Benzodiazepines		18	0		5	0
Misc. anxiolytics, sedatives, and hypnotics		15	0		14	--
Opiates/opioids		179	45		16	5
Heroin (specified)		24	9		0	0
Methadone		36	10		6	--
All other opiates/opioids		133	26		12	--
Nonsteroidal anti-inflammatory agents		0	0		0	0
Salicylates/combinations		0	0		--	--
Misc. analgesics/combinations		13	0		7	0
Anticonvulsants		--	0		--	0
Muscle relaxants		5	--		--	0

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

